

2025

ALBRECHT
Germany

ALBRECHT
Germany

ALBRECHT
Germany

Better
Albrecht

Albrecht.

**We lead
tools
to max
performance.**

These wins have reasons.

<

SK

<

MAS-B

<

APC

Collets APC10

Special Coating. Maintenance free. Integrated, fine adjustable length stop.
Clamping of tool shanks corresponding to DIN 1835 A, B and DIN 6535 HB, HA.

Peripheral Coolant



included length stop

Coolant 2.0



included length stop

Central Coolant



included length stop

D	Part.No.	Balanced	Part.No.	Balanced
2,0	136 1002 000 0	yes		
3,0	136 1003 000 0	yes		
4,0	136 1004 000 0	yes		
5,0	136 1005 000 0	yes		
6,0	136 1006 000 0	yes	136 1006 000 P	yes
7,0	136 1007 000 0	yes		
8,0	136 1008 000 0	yes	136 1008 000 P	yes
9,0	136 1009 000 0	yes		
10,0	136 1010 000 0	yes	136 1010 000 P	yes

special sizes and inch diameter on request

D	Part.No.	Balanced
2,0	136 1402 000 T	yes
3,0	136 1403 000 T	yes
4,0	136 1404 000 T	yes
5,0	136 1405 000 T	yes
6,0	136 1406 000 T	yes
7,0	136 1407 000 T	yes
8,0	136 1408 000 T	yes
9,0	136 1409 000 T	yes
10,0	136 1410 000 T	yes

special sizes and inch diameter on request

Collets APC14

Special Coating. Maintenance free. Integrated, fine adjustable length stop.
Clamping of tool shanks corresponding to DIN 1835 A, B and DIN 6535 HB, HA.

Peripheral Coolant



included length stop

Coolant 2.0



included length stop

Coolant 2.0
Pin-Lock for Weldon shanks



included length stop
with 3 pins and assembly tool

Central Coolant



included length stop

Central Coolant
Pin-Lock for Weldon shanks



included length stop
with 3 pins and assembly tool

D	Part.No.	Balanced	Part.No.	Balanced	Part.No.	Balanced
2,0	136 1402 000 O	yes				
3,0	136 1403 000 O	yes				
4,0	136 1404 000 O	yes				
5,0	136 1405 000 O	yes				
6,0	136 1406 000 O	yes	136 1406 000 P	yes		
7,0	136 1407 000 O	yes				
8,0	136 1408 000 O	yes	136 1408 000 P	yes		
9,0	136 1409 000 O	yes				
10,0	136 1410 000 O	yes	136 1410 000 P	yes	136 1410 0LO P	no
11,0	136 1411 000 O	yes				
12,0	136 1412 000 O	yes	136 1412 000 P	yes	136 1412 0LO P	no
14,0	136 1414 000 O	yes				

special sizes and inch diameter on request

D	Part.No.	Balanced	Part.No.	Balanced
2,0	136 1402 000 T	yes		
3,0	136 1403 000 T	yes		
4,0	136 1404 000 T	yes		
5,0	136 1405 000 T	yes		
6,0	136 1406 000 T	yes		
7,0	136 1407 000 T	yes		
8,0	136 1408 000 T	yes		
9,0	136 1409 000 T	yes		
10,0	136 1410 000 T	yes	136 1410 0LO T	no
11,0	136 1411 000 T	yes		
12,0	136 1412 000 T	yes	136 1412 0LO T	no
14,0	136 1414 000 T	yes		

special sizes and inch diameter on request

Collets

